

Noise Suppressors

by Rob Thomas

Name	Cost	Lgth mm	Diam mm	Wght gm	Sound Reduction	Caliber	Mount	Wpn Type	Specific Weapon
Advanced Armament Corps									
Scarab	395	140	25	156	40	.22 Rimfire	thread	P	
Recon	275	140	25	184	35	.22 Rimfire	thread	P	
M9-SD	550	178	32	185	30d/40w	9mm	snap	P	M9 (92F)
	450	178	32	199	32	.45	thread	P	
Pahantom	450	178	32	199	32d/40w	9mm	thread	P	
Scorpion	395	102	25	62	28	9mm	thread	P	
Spider	350	121	32	99	28	9mm	thread	P	
Avenger	495	254	32	355	33	9mm	bushing	SMG	Uzi
Raptor-40	525	236	38	341	31	.40	3-lug	SMG	H&K
Striker NM	495	213	32	213	33d/37w	9mm	3-lug	SMG	H&K
UMP Defender	595					.45	3-lug	SMG	UMP45
Ranger	450	152	38	540	32	5.56	thread	R	
Cyclone	495	203	38	710	30	.30	thread	R	
Gem-Tech									
GSL 7/8	550	132	20	63	33	.22 Rimfire	thread	P	
Vortex-2	550	130	25	200	39	.22 Rimfire	thread	P	
Outback	350	132	25	71	33	.22 Rimfire	thread	P	
LDES	595	80	25	99	38	.22 Rimfire	thread	P	
Hornet	500	152	31	30	30	.22 mag	thread	P	
Aurora	595	79	29	78	24	9mm	thread	P	
Vortex-9	595	180	31	160	31	9mm	thread	P	
SOS	545	120	31	100	28	9mm	thread	P	
SOS-40	595	181	21	200	28	.40	thread	P	
SOS-45	595	181	51	200	28	.45	thread	P	
Mossad	650	284	35	340	33	9mm	bushing	SMG	Uzi
Mini-Mossad	650	267	35	340	33	9mm	bushing	SMG	Mini-Uzi
MK-9K	595	190	51	590	32	9mm	3-lug	SMG	H&K
Raptor	625	229	35	300	33	9mm	3-lug	SMG	H&K
Raptor-40	635	229	38	340	29	.40	3-lug	SMG	H&K
Viper	650	235	35	340	33	9mm	bushing	SMG	M10/9, M11/9
M4-96D	725	197	38	700	32	5.56mm	QD	R	M4
Predator	595	157	38	680	29	5.56mm	thread	R	
TPR-S	625	235	38	795	28	.30	thread	R	
Knight Armament Company									
Snap-On		152	38	170	32	9mm	Snap	P	M9 (92F)
OHG		190	35	450		.45 acp	thread	P	Mk23
OPS Inc									
Model 3		254	38	680	40	5.56mm	thread	R	M16/M4
Model 7		216	38	607	30	5.56mm	thread	R	M16/M4

Name	Cost	Lgth mm	Diam mm	Wght gm	Sound Reduction	Caliber	Mount	Wpn Type	Specific Weapon
Tactical Ordnance & Equipment Co.									
MS-556		171	38	625	36	5.56mm	QD	R	
AWC Systems Technology									
Backdraft	485	89	24	120		.22 Rimfire	thread	P	
Achangel III	575	139	25	170		.22 Rimfire	thread	P	
Abraxas	595	146	24	160		9mm - .40	thread	P	
Nexus-45	795	203	35	450		.45	thread	P	
MK9	650	305	51	900		9mm	thread	SMG	
MK9S	650	305	51	900		.45	thread	SMG	
CQB	725	215	40	794		9mm	3-lug	SMG	H&K
CQB/40	725	253	40	794		.40	thread	SMG	
Raider	895	170	38	670		5.56mm	thread	R	
Optima II	650	184	40	690		5.56mm	QD	R	
Thundertrap	950	215	40	780		.30	thread	R	
Turbodyne	1495	300	50	1260		.50	thread	R	
Law Enforcement International Limited									
LEI Omega		292	29	430		9mm	thread	P	
LEI Slimline						.32acp	thread	P	
LEI SQ		123	47x23	130		9mm	thread	P	
LEI-01-SD		305	40	1000		9mm	3-lug	SMG	H&K
LEI Universal						5.56mm	22mm	R	
LEI Universal						.30	22mm	R	
SIOPTS									
SO-22		89	25	99	38	.22 Rimfire	thread	P	
SO-9		145	25	142	36	9mm	thread	P	
SO-45		170	35	198	34	.45	thread	P	
Vulcan		230	38	481	35	9mm - .45	thread	SMG	
SO-SD		241	38	510	38	9mm - .40	3-lug	SMG	H&K
Vortex		165	38	481	38	5.56mm	thread	R	
Vortex-QD		190	38	510	38	5.56mm	22mm	R	
CTU		216	38	528	39	.30	thread	R	
SO-50		508	51	2040	42	.50	thread	R	
Brugger + Thomet									
Jet		148	30	105	30	.32 - 9mm	QD	P	
Implus IIA		199	35	295	33	9mm - .45	QD	P	
SUC		125	50x25	210		9mm	QD	P	
SMG		250	35	480	33	.32 - .40	QD	SMG	
MP5 QD		218	35	313	33	9mm	QD	SMG	H&K
Type G		300	42	820	33	5.56mm - .30	thread	R	
SOPS		250	35	650	30	5.56mm - .30	QD	R	

NOTES

Suppressor Effects on weapon speed: If you do not want to recalculate weapon speed factoring weight and length changes caused by the addition of a suppressor, increase pistols by 2, and submachine guns and rifles by 1.

QD Mounts: Quick Detachable mounts are different from company to company, but usually consist of a replacement flash suppressor that incorporates mounting lugs for the noise suppressor.

Pistol Mounts: Almost all pistols will require a replacement barrel that is slightly longer. The added length is required so that the mounting device will extend beyond the slide.

The custom nature of almost all suppressor manufacturers means that most companies can make different calibers and mounts to suit the user's needs. It also means that most suppressors (22mm flash suppressor mounted models being the main exception) will only mount on and work safely with a single type of weapon.